

**OPENEDGE ADAPTERS FOR AUREA SONIC
PLATFORM SUPPORT AND COMPATIBILITY**

April 2018



Progress®
OpenEdge®

 Progress® OpenEdge®

© 2018 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

These materials and all Progress® software products are copyrighted and all rights are reserved by Progress Software Corporation. The information in these materials is subject to change without notice, and Progress Software Corporation assumes no responsibility for any errors that may appear therein. The references in these materials to specific platforms supported are subject to change.

Corticon, DataDirect (and design), DataDirect Cloud, DataDirect Connect, DataDirect Connect64, DataDirect XML Converters, DataDirect XQuery, DataRPM, Deliver More Than Expected, Icenium, Kendo UI, NativeScript, OpenEdge, Powered by Progress, Progress, Progress Software Developers Network, Rollbase, SequeLink, Sitefinity (and Design), SpeedScript, Stylus Studio, TeamPulse, Telerik, Telerik (and Design), Test Studio, and WebSpeed are registered trademarks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and/or other countries. Analytics360, AppServer, BusinessEdge, DataDirect Spy, SupportLink, DevCraft, Fiddler, JustAssembly, JustDecompile, JustMock, Kinvey, NativeScript Sidekick, OpenAccess, ProDataSet, Progress Results, Progress Software, ProVision, PSE Pro, Sitefinity, SmartBrowser, SmartComponent, SmartDataBrowser, SmartDataObjects, SmartDataView, SmartDialog, SmartFolder, SmartFrame, SmartObjects, SmartPanel, SmartQuery, SmartViewer, SmartWindow, and WebClient are trademarks or service marks of Progress Software Corporation and/or its subsidiaries or affiliates in the U.S. and other countries. Java is a registered trademark of Oracle and/or its affiliates. Any other marks contained herein may be trademarks of their respective owners.

Please refer to the Release Notes applicable to the particular Progress product release for any third-party acknowledgements required to be provided in the documentation associated with the Progress product.

Table of Contents

INTRODUCTION	4
PLATFORM SUPPORT: PROGRESS/OPENEDGE AND SONICMQ	5
OpenEdge 11.4+ (32-Bit).....	5
OpenEdge 11.4+ (64-Bit).....	5
OpenEdge 11.0 – 11.3 (32-Bit).....	7
OpenEdge 11.0 – 11.3 (64-Bit).....	8
OpenEdge 10.2B, 10.2A and OpenEdge 10.1C (32-Bit)	9
OpenEdge 10.2B, 10.2A and OpenEdge 10.1C (64-Bit)	10
OpenEdge 10.1A and 10.1B (32-Bit)	11
OpenEdge 10.1A and 10.1B (64-Bit)	12
OpenEdge 10.0A and 10.0B (32-Bit)	13
OpenEdge 10.0A and 10.0B (64-Bit)	14
Progress 9.1E (32-Bit)	15
Progress 9.1E (64-Bit)	16
COMPATIBILITY: OPENEDGE ADAPTER FOR SONICMQ.....	17
PLATFORM SUPPORT: OPENEDGE AND SONIC ESB	21
OpenEdge 11.4+ (32-Bit).....	21
OpenEdge 11.4+ (64-Bit).....	21
OpenEdge 11.0 – 11.3 (32-Bit).....	23
OpenEdge 11.0 – 11.3 (64-Bit).....	24
OpenEdge 10.2B, 10.2A and 10.1C	25
OpenEdge 10.2B, 10.2A and 10.1C (64-Bit)	26
OpenEdge 10.1A and 10.1B	27
OpenEdge 10.1A and 10.1B (64-Bit)	29
OpenEdge 10.0A and 10.0B	30
OpenEdge 10.0A and 10.0B (64-Bit)	31
COMPATIBILITY: OPENEDGE ADAPTER FOR SONIC ESB	32
COMPATIBILITY: OPENEDGE AND SONIC DEVELOPMENT ENVIRONMENTS	33

Introduction

The following details the compatibility between Progress® / OpenEdge™ and Aurea Sonic product releases, documenting what platforms the Progress/OpenEdge Adapters for Sonic (MQ and ESB) can be installed and run on.

- The OpenEdge Adapter for SonicMQ and the OpenEdge Adapter for Sonic ESB may be installed and used on any platform that is supported by both Progress/OpenEdge and by SonicMQ/ESB, as indicated in the following tables.
- If either Progress/OpenEdge or SonicMQ/ESB is NOT supported on a platform, the OpenEdge Adapter for SonicMQ/ESB cannot be installed and is NOT supported on that platform.

In addition, compatibility information is provided between the versions of:

- Progress/OpenEdge Clients and the Progress/OpenEdge Adapters for Sonic (MQ and ESB)
- Progress/OpenEdge Adapters for Sonic (MQ and ESB) and the SonicMQ Clients
- SonicMQ Clients and the SonicMQ Brokers

This document does NOT address unsupported legacy releases or unannounced future product release plans.

- Any combination that is not listed in the tables is not supported.

Note: As of November 2013, Progress Software divested the Sonic product line to Aurea Software. Progress retains a reseller agreement with Aurea for Sonic to the Independent Software Vendor (ISV) channel. Sales to any other Progress channel (e.g. Direct End Users) is handled by Aurea Software.

The information contained in this document is updated on a regular basis and is subject to change without notice. The information provided in this section summarizes the supported platform data from the OpenEdge and Aurea Sonic product lines. Please refer to the individual product documentation for definitive platform support information.

Platform Support: Progress/OpenEdge and SonicMQ

This section documents the platforms supported by Progress/OpenEdge and SonicMQ Clients.

OpenEdge 11.4+ (32-Bit)

This table lists the 32-bit platforms supported by OpenEdge 11.4, 11.5 and 11.6 which include (embed) the SonicMQ 8.5.1 Client, and OpenEdge 11.7 which includes (embeds) the SonicMQ 2016 R3 Client.

32-Bit Platform	Hardware	OpenEdge			SonicMQ	OpenEdge	SonicMQ
		11.4	11.5	11.6	8.5.1	11.7	2016 R3
CentOS 5.4	x86_32	●	●	●		●	
CentOS 6.1	x86_32	●	●	●		●	
Microsoft Windows Server 2003 R2	x86_32	●	●	●	●	●	
Microsoft Windows XP	x86_32	●	●	●	●		
Microsoft Windows 7	x86_32	●	●	●	●	●	●
Windows Server 2008 R2	x86_32	●	●	●	●	●	●
Microsoft Windows 8	x86_32	●	●	●		●	
Microsoft Windows 8.1	x86_32	●	●	●		●	●
Microsoft Windows Server 2012	x86_32	●	●	●		●	
Oracle Linux 5.4	x86_32	●	●	●		●	
Red Hat Enterprise Linux 5.4	x86_32	●	●	●	●	●	
Red Hat Enterprise Linux 6.x	x86_32	●	●	●	●	●	●
Sun Solaris 10	SPARC				●		
SuSE Linux Enterprise Server 10	x86_32				●		
SuSE Linux Enterprise Server 11	x86_32	●	●	●			●

OpenEdge 11.4+ (64-Bit)

This table lists the 64-bit platforms supported by OpenEdge 11.4, 11.5 and 11.6 which include (embed) the SonicMQ 8.5.1 Client, and OpenEdge 11.7 which includes (embeds) the SonicMQ 2016 R3 Client.

64-Bit Platform	Hardware	OpenEdge			SonicMQ	OpenEdge	SonicMQ
		11.4	11.5	11.6	8.5.1	11.7	2016 R3
CentOS 5.4	x86_64	●	●	●		●	
CentOS 5.5	x86_64				●		
CentOS 6.1	x86_64	●	●	●		●	

64-Bit Platform	Hardware	OpenEdge			SonicMQ	OpenEdge	SonicMQ
		11.4	11.5	11.6	8.5.1	11.7	2016 R3
CentOS 7.0	x86_64	●	●	●		●	●
HP-UX 11i v3	Itanium	●	●	●	●	●	●
IBM AIX 5L V6.1	PowerPC	●	●	●	●	●	
IBM AIX 5L V7.1	PowerPC	●	●	●	●	●	●
Microsoft Windows Server 2003 R2	x86_64				●		
Microsoft Windows Server 2008 R2	x86_64	●	●	●	●	●	●
Microsoft Windows 7	x86_64				●		●
Microsoft Windows 8	x86_64	●	●	●		●	
Microsoft Windows 8.1	x86_64	●	●	●		●	●
Microsoft Windows Server 2012	x86_64	●	●	●		●	
Microsoft Windows Server 2012 R2	x86_64	●	●	●		●	●
Oracle Linux 5.4	x86_64	●	●	●		●	
Oracle Linux 5.5	x86_64				●		
Oracle Linux 6.5+	x86_64	●	●	●		●	●
Red Hat Enterprise Linux 5.4	x86_64	●	●	●	●	●	
Red Hat Enterprise Linux 6.1	x86_64	●	●	●	●	●	
Red Hat Enterprise Linux 6.3	x86_64	●	●	●		●	
Red Hat Enterprise Linux 7.0	x86_64	●	●	●		●	●
Sun Solaris 10	SPARC	●	●	●	●	●	
Sun Solaris 10	x64				●		
Sun Solaris 11	SPARC	●	●	●		●	●
SuSE Linux Enterprise Server 10	x86_64				●		
SuSE Linux Enterprise Server 11	x86_64	●	●	●	●	●	●
Ubuntu 12.04.4 LTS	x86_64	●	●	●		●	●

OpenEdge 11.0 – 11.3 (32-Bit)

This table lists the 32-bit platforms supported by OpenEdge 11.0, 11.1, 11.2 and 11.3, which include (embeds) the SonicMQ 8.0 Client.

32-Bit Platform	Hardware	OpenEdge				SonicMQ 8.0 Client
		11.0	11.1	11.2	11.3	
CentOS 5.4	x86_32	●	●	●	●	
CentOS 6.1	x86_32	●	●	●	●	
HP-UX 11i v2 (11.23)	PA-RISC					●
IBM AIX 5L V5.3	PowerPC					●
IBM AIX 5L V6.1	PowerPC					●
Microsoft Windows Server 2003 R2	x86_32	●	●	●	●	●
Microsoft Windows XP	x86_32	●	●	●	●	●
Microsoft Vista	x86_32					●
Microsoft Windows 7	x86_32	●	●	●	●	
Windows Server 2008 R2	x86_32	●	●	●	●	
Microsoft Windows 8	x86_32		●	●	●	
Microsoft Windows Server 2012	x86_32		●	●	●	
Oracle Linux 5.4	x86_32	●	●	●	●	
Red Hat Enterprise Linux 4	x86_32					●
Red Hat Enterprise Linux 5.4	x86_32	●	●	●	●	●
Red Hat Enterprise Linux 6.1	x86_32	●	●	●	●	
Sun Solaris 9	SPARC					●
Sun Solaris 10	SPARC					●
Sun Solaris 10	x86_32					●
SuSE Linux Enterprise Server 9	x86_32					●
SuSE Linux Enterprise Server 10	x86_32					●
SuSE Linux Enterprise Server 11	x86_32	●	●	●	●	

OpenEdge 11.0 – 11.3 (64-Bit)

This table lists the 64-bit platforms supported by OpenEdge 11.0 which includes (embeds) the SonicMQ 8.0 Client.

64-Bit Platform	Hardware	OpenEdge				SonicMQ 8.0 Client
		11.0	11.1	11.2	11.3	
CentOS 5.4	x86_64	●	●	●	●	
CentOS 6.1	x86_64	●	●	●	●	
HP-UX 11i v2 (11.23)	Itanium					●
HP-UX 11i v3	PA-RISC	●	●	●		
HP-UX 11i v3	Itanium	●	●	●	●	●
IBM AIX 5L V5.3	PowerPC	●				
IBM AIX 5L V6.1	PowerPC		●	●	●	
Microsoft Windows Server 2003 R2	x86_64					●
Microsoft Windows Server 2008 R2	x86_64	●	●	●	●	●
Microsoft Windows 8	x86_64	●	●	●	●	●
Microsoft Windows Server 2012	x86_64	●	●	●	●	
Oracle Linux 5.4	x86_64	●	●	●	●	
Red Hat Enterprise Linux 4	x86_64					●
Red Hat Enterprise Linux 5.4	x86_64	●	●	●	●	●
Red Hat Enterprise Linux 6.1	x86_64	●	●	●	●	
Sun Solaris 10	SPARC	●	●	●	●	
Sun Solaris 10	x64					●
Sun Solaris 11	SPARC		●	●	●	
SuSE Linux Enterprise Server 10	x86_64					●
SuSE Linux Enterprise Server 11	x86_64	●	●	●	●	●

OpenEdge 10.2B, 10.2A and OpenEdge 10.1C (32-Bit)

This table lists the 32-bit platforms supported by OpenEdge 10.2B, 10.2A, and OpenEdge 10.1C which include (embeds) the SonicMQ 7.5.1 Client.

32-Bit Platform	Hardware	OpenEdge 10.2B	OpenEdge 10.2A	OpenEdge 10.1C	SonicMQ 7.5.1 Client
CentOS 5.2	x86_32	●	●	●	
HP-UX 11i v1 (11.11)	PA-RISC	●	●	●	●
HP-UX 11i v2 (11.23)	PA-RISC	●	●	●	●
HP-UX 11i v3	PA-RISC	●	●	●	
IBM AIX 5L V5.1	PowerPC				●
IBM AIX 5L V5.2	PowerPC			●	●
IBM AIX 5L V5.3	PowerPC	●	●	●	●
IBM AIX 5L V6.1	PowerPC	●	●	●	
Microsoft Windows 2000	x86_32			●	●
Microsoft Windows Server 2003	x86_32	●	●	●	●
Microsoft Windows XP	x86_32	●	●	●	●
Microsoft Vista	x86_32	●	●	●	
Windows Server 2008	x86_32	●	●	●	
Windows 7	x86_32	●	●	●	
Red Hat Enterprise Linux 3	x86_32				●
Red Hat Enterprise Linux 4	x86_32	●	●	●	●
Red Hat Enterprise Linux 5	x86_32	●	●	●	
rPATH Linux 1	x86_32	●	●	●	
SCO UnixWare 7.1.4	x86_32	●	●	●	
SCO OpenServer 6	x86_32	●	●	●	
Sun Solaris 8	SPARC				●
Sun Solaris 9	SPARC	●	●	●	●
Sun Solaris 10	SPARC	●	●	●	●
Sun Solaris 10	x86_32				●
SuSE Linux Enterprise Server 8	x86_32				●
SuSE Linux Enterprise Server 9	x86_32	●	●	●	●
SuSE Linux Enterprise Server 10	x86_32	●	●	●	
SuSE Linux Enterprise Server 11	x86_32	●	●		

OpenEdge 10.2B, 10.2A and OpenEdge 10.1C (64-Bit)

This table lists the 64-bit platforms and JVM versions supported by OpenEdge 10.2B, 10.2A, and OpenEdge 10.1C which include (embeds) the SonicMQ 7.5.1 Client.

64-Bit Platform	Hardware	OpenEdge 10.2B	OpenEdge 10.2A	OpenEdge 10.1C	SonicMQ 7.5.1 Client
CentOS 5.2	x86_64	●	●	●	
HP-UX 11i v2 (11.23)	Itanium	●	●	●	●
HP-UX 11i v3	Itanium	●	●	●	
IBM AIX 5L V5.2	PowerPC			●	
IBM AIX 5L V5.3	PowerPC	●	●	●	●
IBM AIX 5L V6.1	PowerPC	●	●	●	
Microsoft Windows Server 2003 R2	x86_64	●	●	●	●
Microsoft Windows Server 2008	x86_64	●	●	●	
Microsoft Windows Server 2008 R2	x86_64	●	●	●	
Windows 7	x86_64	●	●	●	
Red Hat Enterprise Linux 4	x86_64	●	●	●	●
Red Hat Enterprise Linux 4	PowerPC		●	●	
Red Hat Enterprise Linux 5	x86_64	●	●	●	
rPATH Linux 1	x86_64	●	●	●	
Sun Solaris 8	SPARC				●
Sun Solaris 9	SPARC	●	●	●	●
Sun Solaris 10	SPARC	●	●	●	●
Sun Solaris 10	x64				●
SuSE Linux Enterprise Server 9	x86_64	●	●	●	
SuSE Linux Enterprise Server 10	x86_64	●	●	●	
SuSE Linux Enterprise Server 11	x86_64	●	●		

OpenEdge 10.1A and 10.1B (32-Bit)

This table lists the 32-bit platforms supported by OpenEdge 10.1A/10.1B, which include (embed) the SonicMQ 6.1 Client.

32-Bit Platform	Hardware	OpenEdge 10.1A/B	SonicMQ 6.1 Client
HP-UX V11.0	PA-RISC	●	●
HP-UX 11i v1 (11.11)	PA-RISC	●	●
HP-UX 11i v2 (11.23)	PA-RISC	●	
HP-UX 11i v3	PA-RISC	●	
IBM AIX 5L V5.1	PowerPC		●
IBM AIX 5L V5.2	PowerPC	●	●
IBM AIX 5L V5.3	PowerPC	●	
Microsoft Windows 2000	x86_32	●	●
Microsoft Windows XP	x86_32	●	●
Microsoft Windows Server 2003	x86_32	●	●
Microsoft Vista	x86_32	●	
Red Hat Enterprise Linux 2.1	x86_32	●	●
Red Hat Enterprise Linux 3	x86_32	●	●
Red Hat Enterprise Linux 4	x86_32	●	
Red Hat Enterprise Linux 5	x86_32	●	
rPATH Linux 1	x86_32	●	
SCO UnixWare 7.1.4	x86_32	●	
SCO OpenServer 6	x86_32	●	
Sun Solaris 8	SPARC		●
Sun Solaris 9	SPARC	●	●
Sun Solaris 10	SPARC	●	
SuSE Linux Enterprise Server 8	x86_32	●	●
SuSE Linux Enterprise Server 9	x86_32	●	
SuSE Linux Enterprise Server 10	x86_32	●	

OpenEdge 10.1A and 10.1B (64-Bit)

This table lists the 64-bit platforms supported by OpenEdge 10.1A/10.1B, which include (embed) the SonicMQ 6.1 Client.

Note: The SonicMQ 6.1 Client (embedded in OpenEdge 10.1A/B) does not support 64-bit platforms. The OpenEdge Adapter for SonicMQ cannot be installed or run on any of the following OpenEdge-supported platforms.

64-Bit Platform	Hardware	OpenEdge 10.1A/B	SonicMQ 6.1 Client
HP-UX 11i v2 (11.23)	Itanium	●	
HP-UX 11i v3	Itanium	●	
HP Tru64 5.1B	Alpha	●	
IBM AIX 5L V5.2	PowerPC	●	
IBM AIX 5L V5.3	PowerPC	●	
Red Hat Enterprise Linux 3	x64	●	
Red Hat Enterprise Linux 4	x64, PowerPC	●	
Red Hat Enterprise Linux 5	x64	●	
rPATH Linux 1	x64	●	
SuSE Linux Enterprise Server 9	x64	●	
SuSE Linux Enterprise Server 10	x64	●	
Sun Solaris 9	SPARC	●	
Sun Solaris 10	SPARC	●	

OpenEdge 10.0A and 10.0B (32-Bit)

This table lists the 32-bit platforms and JVM versions supported by OpenEdge 10.0A/10.0B and by the SonicMQ clients.

32-Bit Platform	Hardware	OpenEdge	SonicMQ Client Version			
			6.0, 6.1	7.0	7.5.1	7.6
HP-UX 11.0	PA-RISC		●			
HP-UX 11i v1 (11.11)	PA-RISC	●	●	●	●	
HP-UX 11i v2 (11.23)	PA-RISC	●		●	●	●
IBM AIX 5L V5.1	PowerPC		●	●	●	
IBM AIX 5L V5.2	PowerPC	●	●	●	●	●
IBM AIX 5L V5.3	PowerPC	●		●	●	●
Microsoft Windows 2000	x86_32	●	●	●	●	
Microsoft Windows XP	x86_32	●	●	●	●	●
Microsoft Windows Server 2003	x86_32	●	●	●	●	●
Microsoft Vista	x86_32					●
Red Hat Enterprise Linux 2.1	x86_32	●	●			
Red Hat Enterprise Linux 3.0	x86_32	●	●	●	●	
Red Hat Enterprise Linux 4	x86_32	●		●	●	●
Red Hat Enterprise Linux 5	x86_32					●
SCO UnixWare 7.1.4	x86_32	●				
SCO OpenServer 6	x86_32	●				
Sun Solaris 8	SPARC	●	●	●	●	
Sun Solaris 9	SPARC	●	●	●	●	●
Sun Solaris 10	SPARC	●		●	●	●
Sun Solaris 10	x86_32					●
SuSE Linux Enterprise Server 8	x86_32	●				
SuSE Linux Enterprise Server 9	x86_32	●				●
SuSE Linux Enterprise Server 10	x86_32					●
Turbo Linux Enterprise 8	x86_32	●				

OpenEdge 10.0A and 10.0B (64-Bit)

This table lists the 64-bit platforms and JVM versions supported by OpenEdge 10.0A/10.0B and by the SonicMQ Clients.

Note: The OpenEdge Adapter for SonicMQ cannot be installed or run on any 64-bit platform not supported by SonicMQ Client.

64-Bit Platform	Hardware	OpenEdge 10.0A/B	SonicMQ Client Version				
			6.0. 6.1	7.0	7.5.1	7.6	
HP-UX 11i v1 (11.11)	PA-RISC	●					
HP-UX 11i v2 (11.23)	PA-RISC	●					
HP-UX 11i v2 (11.23)	Itanium	●			●	●	
HP-UX 11i v3	Itanium					●	
HP Tru64 5.1B	Alpha	●					
IBM AIX 5L V5.2	PowerPC	●					
IBM AIX 5L V5.3	PowerPC	●			●	●	
Microsoft Windows XP x64	x64	limited					
Microsoft Windows Server 2003 x64	x64	limited			●	●	
Red Hat Enterprise Linux 4	x64	●			●		
Red Hat Enterprise Linux 5	x64					●	
Sun Solaris 8	SPARC	●			●		
Sun Solaris 9	SPARC	●			●	●	
Sun Solaris 10	SPARC	●		●	●	●	
Sun Solaris 10	x64				●	●	

Progress 9.1E (32-Bit)

This table lists the 32-bit platforms supported by Progress 9.1E and by the SonicMQ Clients.

32-Bit Platform	Hardware	Progress 9.1E	SonicMQ Client Version	
			6.0, 6.1	7.0
Citrix MetaFrame 1.8	x86_32	●		
Citrix MetaFrame Presentation Server 3.0	x86_32	●		
HP-UX 11.0	PA-RISC	●	●	
HP-UX 11i v1 (11.11)	PA-RISC	●	●	●
HP-UX 11i v2 (11.23)	PA-RISC			●
IBM AIX 5L V5.1	PowerPC	●	●	●
IBM AIX 5L V5.2	PowerPC	●	●	●
IBM AIX 5L V5.3	PowerPC	●		●
Microsoft Windows NT 4.0	x86_32	●		
Microsoft Windows 98	x86_32	●		
Microsoft Windows ME	x86_32	●		
Microsoft Windows 2000	x86_32	●	●	●
Microsoft Windows XP	x86_32	●		●
Microsoft Windows Server 2003	x86_32	●	●	●
Red Hat Enterprise Linux 2.1	x86_32	●	●	
Red Hat Enterprise Linux 3.0	x86_32	●	●	●
Red Hat Enterprise Linux 4.0	x86_32	●		●
SCO UnixWare 7.1.4	x86_32	●		
SCO OpenServer 6	x86_32	●		
Sun Solaris 2.6 (Solaris 7, 8, 10)	Intel	●		
Sun Solaris 2.6 (Solaris 7, 8, 9, 10)	SPARC	●		
Sun Solaris 2.8 (Solaris 8, 9, 10)	SPARC	●		
Sun Solaris 8	SPARC		●	●
Sun Solaris 9	SPARC		●	●
Sun Solaris 10	SPARC			●
SuSE Linux Enterprise Server 8	x86_32	●	●	●
SuSE Linux Enterprise Server 9	x86_32	●		●
Turbo Linux Enterprise 8	x86_32	●		
UnixWare 7.1.3	x86_32	●		

Progress 9.1E (64-Bit)

This table lists the 64-bit platforms supported by Progress 9.1E and the SonicMQ Clients.

Note: The OpenEdge Adapter for SonicMQ cannot be installed or run on any 64-bit platform not supported by SonicMQ Client.

64-Bit Platform	Hardware	Progress 9.1E	SonicMQ Client Version	
			6.0, 6.1	7.0
HP Compaq Tru64 UNIX 5.1B	Alpha	●		
HP-UX 11.0	PA-RISC	●		
HP-UX 11i v1 (11.11)	PA-RISC	●		
HP-UX 11i v2 (11.23)	PA-RISC	●		
Sun Solaris 2.8	SPARC	●		
Sun Solaris 9	SPARC	●		
Sun Solaris 10	SPARC	●		

Compatibility: OpenEdge Adapter for SonicMQ

This table shows the compatibility between Progress/OpenEdge Clients and Progress/OpenEdge Adapters for SonicMQ, compatibility between the Adapters and SonicMQ Clients, and compatibility between SonicMQ Clients and SonicMQ Brokers.

Progress/ OpenEdge Client	OpenEdge Adapter for SonicMQ	SonicMQ Client ^{1,2}	SonicMQ Broker ²	
9.1C (Retired)	9.1C (Retired)	3.5	3.5, 4.0	
9.1D09 (Retired)	9.1D (Retired)	4.0	4.0, 5.0.x ³ , 6.x ³	
	9.1D06+ ⁴ (Retired)	5.0.x	5.0.x, 6.x	
		6.0	6.x	
		6.1	6.1	
	9.1E (Retired)	9.1E (Retired)	4.0	4.0, 5.0 ³ , 6.x ³
			5.0	5.0, 6.x
			6.0	6.x
			6.1	6.1
	10.0B	10.0B	5.0	5.0, 6.x
			6.0	6.x
6.1			6.1	
9.1E (Retired)	9.1D (Retired)	4.0	4.0, 5.0.x ³ , 6.x ³	
	9.1D06+ ⁴ (Retired)	5.0.x, 6.x	5.0.x, 6.x	
	9.1E (Retired)	5.0.x	5.0.x, 6.x, 7.0.x, 7.5.x, 7.6, 8.0.x, 8.5.x	
		6.0	6.x, 7.0.x, 7.5.x, 7.6, 8.0.x, 8.5.x	
		6.1	6.1, 7.0.x, 7.5.x, 7.6, 8.0.x, 8.5.x	
		7.0.x	7.0.x, 7.5.x, 7.6, 8.0.x, 8.5.x	
	10.0A/B	10.0A/B	5.0.x	5.0.x, 6.x, 7.0.x, 7.5.x, 7.6, 8.0.x, 8.5.x
			6.0	6.x, 7.0.x, 7.5.x, 7.6, 8.0.x, 8.5.x
			6.1	6.1, 7.0.x, 7.5.x, 7.6, 8.0.x, 8.5.x
			7.0.x	7.0.x, 7.5.x, 7.6, 8.0.x, 8.5.x
	10.1A/B ⁵	10.1A/B ⁵	6.1	6.1, 7.0.x, 7.5.x, 7.6, 8.0.x, 8.5.x
	10.1C ⁶	10.1C ⁶	7.5.1	7.5.x, 7.6, 8.0.x, 8.5.x

¹ SonicMQ Clients are compatible with the same version or higher of SonicMQ Brokers.

² V5.0.x refers to all versions of SonicMQ 5, i.e. 5.0, 5.0.1 and 5.0.2. V6.x refers to all versions of SonicMQ V6, i.e. 6.0 and 6.1. V7.0.x refers to all versions of SonicMQ V7, i.e. 7.0, 7.0 SP1 (7.0.1) and 7.0 SP2 (7.0.2). V7.5.x refers to all versions of SonicMQ V7.5, i.e. 7.5 and 7.5.1. V8.0.x and V8.5.x refer to all associated versions of SonicMQ 8.0 and 8.5, respectively.

³ Refer to SonicMQ documentation for restrictions when using a SonicMQ 4.0 Client to connect to a SonicMQ 5.0 or 6.0 Broker.

⁴ OpenEdge 9.1D Service Pack 06 provides compatibility with SonicMQ 5.0 or 6.0. All versions of 9.1D, Service Pack 06 and later, are compatible with SonicMQ 4.0 when used with the SonicMQ 4.0 Client.

⁵ The OpenEdge Adapter for SonicMQ 10.1A and 10.1B includes an embedded SonicMQ 6.1 Client.

⁶ The OpenEdge Adapter for SonicMQ 10.1C, 10.2A, 10.2B includes an embedded SonicMQ 7.5.1 Client.

Progress/ OpenEdge Client	OpenEdge Adapter for SonicMQ	SonicMQ Client ^{1,2}	SonicMQ Broker ²
	10.2A/B ⁶	7.5.1	7.5.x, 7.6, 8.0.x, 8.5.x
	11.0 ⁷	8.0	8.0.x, 8.5.x
	11.1 ⁷	8.0	8.0.x, 8.5.x
	11.2 ⁷	8.0	8.0.x, 8.5.x, 2013
	11.3 ⁷	8.0	8.0.x, 8.5.x, 2013
10.0A/B	10.0A/B	5.0.x	5.0.x and higher
		6.0	6.x and higher
		6.1	6.1 and higher
		7.0.x	7.0.x and higher
		7.5.x	7.5.x and higher
	10.1A/B ⁵	6.1	6.1 and higher
	10.1C ⁶	7.5.1	7.5.x and higher
	10.2A/B ⁶	7.5.1	7.5.x and higher
	11.0 ⁷	8.0	8.0.x and higher
	11.1 ⁷	8.0	8.0.x and higher
	11.2 ⁷	8.0	8.0.x and higher
	11.3 ⁷	8.0	8.0.x and higher
	10.1A/B	10.0A/B	5.0.x
6.0			6.x and higher
6.1			6.1 and higher
7.0.x			7.0.x and higher
7.5.x			7.5.x and higher
10.1A/B ⁵		6.1	6.1 and higher
10.1C ⁶		7.5.1	7.5.x and higher
10.2A/B ⁶		7.5.1	7.5.x and higher
11.0 ⁷		8.0	8.0.x and higher
11.1 ⁷		8.0	8.0.x and higher
11.2 ⁷		8.0	8.0.x and higher
11.3 ⁷		8.0	8.0.x and higher
10.1C		10.0A/B	5.0.x
	6.0		6.x and higher
	6.1		6.1 and higher
	7.0.x		7.0.x and higher
	7.5.x		7.5.x and higher
	10.1A/B ⁵	6.1	6.1 and higher
	10.1C ⁶	7.5.1	7.5.x and higher
	10.2A/B ⁶	7.5.1	7.5.x and higher
	11.0 ⁷	8.0	8.0.x and higher
	11.1 ⁷	8.0	8.0.x and higher
	11.2 ⁷	8.0	8.0.x and higher
	11.3 ⁷	8.0	8.0.x and higher
	10.2A	10.0A/B	5.0.x

⁷ The OpenEdge Adapter for SonicMQ 11.0, 11.1 and 11.2 include an embedded SonicMQ 8.0 Client

Progress/ OpenEdge Client	OpenEdge Adapter for SonicMQ	SonicMQ Client ^{1,2}	SonicMQ Broker ²
		6.0	6.x and higher
		6.1	6.1 and higher
		7.0.x	7.0.x and higher
		7.5.x	7.5.x and higher
	10.1A/B ⁵	6.1	6.1 and higher
	10.1C ⁶	7.5.1	7.5.x and higher
	10.2A/B ⁶	7.5.1	7.5.x and higher
	11.0 ⁷	8.0	8.0.x and higher
	11.1 ⁷	8.0	8.0.x and higher
	11.2 ⁷	8.0	8.0.x and higher
11.3 ⁷	8.0	8.0.x and higher	
10.2B	10.0A/B	5.0.x	5.0.x and higher
		6.0	6.x and higher
		6.1	6.1 and higher
		7.0.x	7.0.x and higher
		7.5.x	7.5.x and higher
	10.1A/B ⁵	6.1	6.1 and higher
	10.1C ⁶	7.5.1	7.5.x and higher
	10.2A/B ⁶	7.5.1	7.5.x and higher
	11.0 ⁷	8.0	8.0.x and higher
	11.1 ⁷	8.0	8.0.x and higher
11.2 ⁷	8.0	8.0.x and higher	
11.3 ⁷	8.0	8.0.x and higher	
11.0	11.0 ⁷	8.0	8.0.x and higher
	11.1 ⁷	8.0	8.0.x and higher
	11.2 ⁷	8.0	8.0.x and higher
	11.3 ⁷	8.0	8.0.x and higher
11.1	11.0 ⁷	8.0	8.0.x and higher
	11.1 ⁷	8.0	8.0.x and higher
	11.2 ⁷	8.0	8.0.x and higher
	11.3 ⁷	8.0	8.0.x and higher
11.2	11.0 ⁷	8.0	8.0.x and higher
	11.1 ⁷	8.0	8.0.x and higher
	11.2 ⁷	8.0	8.0.x and higher
	11.3 ⁷	8.0	8.0.x and higher
11.3	11.0 ⁷	8.0	8.0.x and higher
	11.1 ⁷	8.0	8.0.x and higher
	11.2 ⁷	8.0	8.0.x and higher
	11.3 ⁷	8.0	8.0.x and higher
11.4	11.4 ⁸	8.5.1	8.5.1 and higher
	11.5 ⁸	8.5.1	8.5.1 and higher
	11.6 ⁸	8.5.1	8.5.1 and higher

⁸ The OpenEdge Adapter for SonicMQ 11.4, 11.5 and 11.6 include an embedded SonicMQ 8.5.1 Client.

Progress/ OpenEdge Client	OpenEdge Adapter for SonicMQ	SonicMQ Client ^{1,2}	SonicMQ Broker ²
11.5	11.4 ⁸	8.5.1	8.5.1 and higher
	11.5 ⁸	8.5.1	8.5.1 and higher
	11.6 ⁸	8.5.1	8.5.1 and higher
11.6	11.4 ⁸	8.5.1	8.5.1 and higher
	11.5 ⁸	8.5.1	8.5.1 and higher
	11.6 ⁸	8.5.1	8.5.1 and higher
11.7	11.7 ⁹	2016 R3	2016 and higher

⁹ The OpenEdge Adapter for SonicMQ 11.7 includes an embedded SonicMQ 2016 R3 Client.

Platform Support: OpenEdge and Sonic ESB

This section documents the platforms supported by OpenEdge and Sonic ESB.

OpenEdge 11.4+ (32-Bit)

This table lists the 32-bit platforms supported by OpenEdge 11.4, 11.5, 11.6, and Sonic ESB 8.5.1, and OpenEdge 11.7 and Sonic ESB 2016 R3.

32-Bit Platform	Hardware	OpenEdge			Sonic ESB	OpenEdge	Sonic ESB
		11.4	11.5	11.6	8.5.1	11.7	2016 R3
CentOS 5.4	x86_32	●	●	●		●	
CentOS 6.1	x86_32	●	●	●		●	
Microsoft Windows Server 2003 R2	x86_32	●	●	●	●	●	
Microsoft Windows XP	x86_32	●	●	●	●		
Microsoft Windows 7	x86_32	●	●	●	●	●	●
Windows Server 2008 R2	x86_32	●	●	●	●	●	●
Microsoft Windows 8	x86_32	●	●	●		●	
Microsoft Windows 8.1	x86_32	●	●	●		●	●
Microsoft Windows Server 2012	x86_32	●	●	●		●	
Oracle Linux 5.4	x86_32	●	●	●		●	
Red Hat Enterprise Linux 5.4	x86_32	●	●	●	●	●	
Red Hat Enterprise Linux 6.x	x86_32	●	●	●	●	●	●
Sun Solaris 10	SPARC				●		
Sun Solaris 10	x86_32				●		
SuSE Linux Enterprise Server 10	x86_32				●		
SuSE Linux Enterprise Server 11	x86_32	●	●	●			●

OpenEdge 11.4+ (64-Bit)

This table lists the 64-bit platforms supported by OpenEdge 11.4, 11.5, 11.6, and Sonic ESB 8.5.1, and OpenEdge 11.7 and Sonic ESB 2016 R3.

64-Bit Platform	Hardware	OpenEdge			Sonic ESB	OpenEdge	Sonic ESB
		11.4	11.5	11.6	8.5.1	11.7	2016 R3
CentOS 5.4	x86_64			●		●	
CentOS 6.1	x86_64			●		●	

64-Bit Platform	Hardware	OpenEdge			Sonic ESB	OpenEdge	Sonic ESB
		11.4	11.5	11.6	8.5.1	11.7	2016 R3
CentOS 7.0	x86_64			●		●	●
HP-UX 11i v3	Itanium				●	●	●
IBM AIX 5L V5.3	PowerPC			●		●	
IBM AIX 5L V6.1	PowerPC			●	●	●	
IBM AIX 5L V7.1	PowerPC			●	●	●	●
Microsoft Windows Server 2003 R2	x86_64				●		
Microsoft Windows Server 2008 R2	x86_64			●	●	●	●
Microsoft Windows 7	x86_64				●		●
Microsoft Windows 8	x86_64			●		●	
Microsoft Windows 8.1	x86_64			●		●	●
Microsoft Windows Server 2012	x86_64			●		●	
Microsoft Windows Server 2012 R2	x86_64			●		●	●
Oracle Linux 5.4	x86_64			●		●	
Oracle Linux 6.5+	x86_64						●
Red Hat Enterprise Linux 5.4	x86_64			●	●	●	
Red Hat Enterprise Linux 6.1	x86_64			●	●	●	
Red Hat Enterprise Linux 6.3	x86_64			●		●	
Red Hat Enterprise Linux 7.0	x86_64			●		●	●
Sun Solaris 10	SPARC			●	●	●	
Sun Solaris 10	x64				●		
Sun Solaris 11	SPARC			●		●	●
SuSE Linux Enterprise Server 10	x86_64				●		
SuSE Linux Enterprise Server 11	x86_64			●	●	●	●
Ubuntu 12.04.4 LTS	x86_64			●		●	●

OpenEdge 11.0 – 11.3 (32-Bit)

This table lists the 32-bit platforms supported by OpenEdge 11.0, 11.1, 11.2, 11.3, and Sonic ESB 8.0.

32-Bit Platform	Hardware	OpenEdge				Sonic ESB 8.0
		11.0	11.1	11.2	11.3	
CentOS 5.4	x86_32	●	●	●	●	
CentOS 6.1	x86_32	●	●	●	●	
HP-UX 11i v2 (11.23)	PA-RISC					●
IBM AIX 5L V5.3	PowerPC					●
IBM AIX 5L V6.1	PowerPC					●
Microsoft Windows Server 2003 R2	x86_32	●	●	●	●	●
Microsoft Windows XP	x86_32	●	●	●	●	●
Microsoft Vista	x86_32					●
Microsoft Windows 7	x86_32	●	●	●	●	
Windows Server 2008 R2	x86_32	●	●	●	●	
Microsoft Windows 8	x86_32		●	●	●	
Microsoft Windows Server 2012	x86_32		●	●	●	
Oracle Linux 5.4	x86_32	●	●	●	●	
Red Hat Enterprise Linux 4	x86_32					●
Red Hat Enterprise Linux 5.4	x86_32	●	●	●	●	●
Red Hat Enterprise Linux 6.1	x86_32	●	●	●	●	
Sun Solaris 9	SPARC					●
Sun Solaris 10	SPARC					●
Sun Solaris 10	x86_32					●
SuSE Linux Enterprise Server 9	x86_32					●
SuSE Linux Enterprise Server 10	x86_32					●
SuSE Linux Enterprise Server 11	x86_32	●	●	●	●	

OpenEdge 11.0 – 11.3 (64-Bit)

This table lists the 64-bit platforms supported by OpenEdge 11.0, 11.1, 11.2, 11.3 and Sonic ESB 8.0.

64-Bit Platform	Hardware	OpenEdge				Sonic ESB 8.0.x
		11.0	11.1	11.2	11.3	
CentOS 5.4	x86_64	●	●	●	●	
CentOS 6.1	x86_64	●	●	●	●	
HP-UX 11i v2 (11.23)	Itanium					●
HP-UX 11i v3	PA-RISC	●	●	●		
HP-UX 11i v3	Itanium	●	●	●	●	●
IBM AIX 5L V5.3	PowerPC	●				
IBM AIX 5L V6.1	PowerPC		●	●	●	
Microsoft Windows Server 2003 R2	x86_64					●
Microsoft Windows Server 2008 R2	x86_64	●	●	●	●	●
Microsoft Windows 8	x86_64	●	●	●	●	●
Microsoft Windows Server 2012	x86_64	●	●	●	●	
Oracle Linux 5.4	x86_64	●	●	●	●	
Red Hat Enterprise Linux 4	x86_64					●
Red Hat Enterprise Linux 5.4	x86_64	●	●	●	●	●
Red Hat Enterprise Linux 6.1	x86_64	●	●	●	●	
Sun Solaris 10	SPARC	●	●	●	●	
Sun Solaris 10	x64					●
Sun Solaris 11	SPARC		●	●	●	
SuSE Linux Enterprise Server 10	x86_64					●
SuSE Linux Enterprise Server 11	x86_64	●	●	●	●	●

OpenEdge 10.2B, 10.2A and 10.1C

This table lists the 32-bit platforms supported by OpenEdge 10.1C+ and Sonic ESB.

32-Bit Platform	Hardware	OpenEdge 10.2B	OpenEdge 10.2A	OpenEdge 10.1C	Sonic ESB Product Version		
					7.5.	7.6	8.0
CentOS 5.2	x86_32	●	●	●			
HP-UX 11i v1 (11.11)	PA-RISC	●	●	●	●		
HP-UX 11i v2 (11.23)	PA-RISC	●	●	●	●	●	●
HP-UX 11i v3	PA-RISC	●	●	●			
IBM AIX 5L V5.1	PowerPC				●		
IBM AIX 5L V5.2	PowerPC			●	●	●	●
IBM AIX 5L V5.3	PowerPC	●	●	●	●	●	●
IBM AIX 5L V6.1	PowerPC	●	●	●			
Microsoft Windows 2000	x86_32			●	●		
Microsoft Windows XP	x86_32	●	●	●	●	●	●
Microsoft Windows Server 2003	x86_32	●	●	●	●	●	●
Microsoft Vista	x86_32	●	●	●		●	●
Microsoft Windows 2008	x86_32	●	●	●			●
Windows 7	x86_32	●	●	●			
Red Hat Enterprise Linux 3.0	x86_32			●	●		
Red Hat Enterprise Linux 4	x86_32	●	●	●	●	●	●
Red Hat Enterprise Linux 5	x86_32	●	●	●		●	●
rPATH Linux 1	x86_32	●	●	●			
SCO UnixWare 7.1.4	x86_32	●	●	●			
SCO OpenServer 6	x86_32	●	●	●			
Sun Solaris 8	SPARC				●		
Sun Solaris 9	SPARC	●	●	●	●	●	●
Sun Solaris 10	SPARC	●	●	●	●	●	●
Sun Solaris 10	x86_32					●	●

32-Bit Platform	Hardware	OpenEdge 10.2B	OpenEdge 10.2A	OpenEdge 10.1C	Sonic ESB Product Version		
					7.5.	7.6	8.0
SuSE Linux Enterprise Server 8	x86_32				●		
SuSE Linux Enterprise Server 9	x86_32	●	●	●	●	●	●
SuSE Linux Enterprise Server 10	x86_32	●	●	●		●	●
SuSE Linux Enterprise Server 11	x86_32	●	●				

OpenEdge 10.2B, 10.2A and 10.1C (64-Bit)

This table lists the 64-bit platforms supported by OpenEdge 10.1C+ and Sonic ESB.

Note: The OpenEdge Adapter for Sonic ESB cannot be installed or run on any 64-bit platform not supported by Sonic ESB.

64-Bit Platform	Hardware	OpenEdge 10.2B	OpenEdge 10.2A	OpenEdge 10.1C	Sonic ESB Product Version		
					7.5.	7.6	8.0
CentOS 5.2	x86_64	●	●	●			
HP-UX 11i v2 (11.23)	Itanium	●	●	●	●	●	●
HP-UX 11i v3	Itanium	●	●			●	●
IBM AIX 5L V5.2	PowerPC	●		●			
IBM AIX 5L V5.3	PowerPC	●	●	●	●	●	
IBM AIX 5L V6.1	PowerPC	●	●	●			
Microsoft Windows XP x64	x86_64	●	limited	limited			
Microsoft Windows Server 2003 x64	x86_64	●	limited	limited	●	●	●
Microsoft Windows Server 2008 x64	x86_64	●	limited	limited	●	●	●
Windows 7	X86_64	●					●
Red Hat Enterprise Linux 4	x86_64	●	●	●	●		●
Red Hat Enterprise Linux 5	x86_64	●	●	●		●	●
rPATH Linux 1	x86_64	●	●	●			
Sun Solaris 8	SPARC				●		
Sun Solaris 9	SPARC	●	●	●	●	●	
Sun Solaris 10	SPARC	●	●	●	●	●	
Sun Solaris 10	x86_64				●	●	●
SuSE Linux Enterprise Server 9	x86_64	●	●	●			

64-Bit Platform	Hardware	OpenEdge 10.2B	OpenEdge 10.2A	OpenEdge 10.1C	Sonic ESB Product Version		
					7.5.	7.6	8.0
SuSE Linux Enterprise Server 10	x86_64	●	●	●			●
SuSE Linux Enterprise Server 11	x86_64	●	●				●

OpenEdge 10.1A and 10.1B

This table lists the 32-bit platforms supported by OpenEdge 10.1A/10.1B, and by Sonic ESB.

32-Bit Platform	Hardware	OpenEdge 10.1A/B	Sonic ESB Product Version			
			6.1	7.0	7.5.1	7.6 ¹
HP-UX 11.0	PA-RISC		●			
HP-UX 11i v1 (11.11)	PA-RISC	●	●	●	●	
HP-UX 11i v2 (11.23)	PA-RISC	●		●	●	●
HP-UX 11i v3	PA-RISC	●				
IBM AIX 5L V5.1	PowerPC		●	●	●	
IBM AIX 5L V5.2	PowerPC	●	●	●	●	●
IBM AIX 5L V5.3	PowerPC	●		●	●	●
Microsoft Windows 2000	x86_32	●	●	●	●	
Microsoft Windows XP	x86_32	●	●	●	●	●
Microsoft Windows Server 2003	x86_32	●	●	●	●	●
Microsoft Vista	x86_32					●
Red Hat Enterprise Linux 2.1	x86_32	●	●			
Red Hat Enterprise Linux 3.0	x86_32	●	●	●	●	
Red Hat Enterprise Linux 4	x86_32	●		●	●	●
Red Hat Enterprise Linux 5	x86_32	●				●
rPATH Linux 1	x86_32	●				
SCO UnixWare 7.1.4	x86_32	●				
SCO OpenServer 6	x86_32	●				
Sun Solaris 8	SPARC		●	●	●	
Sun Solaris 9	SPARC	●	●	●	●	●
Sun Solaris 10	SPARC	●		●	●	

¹ Sonic 7.6 is certified with use with OpenEdge 10.1B (not OpenEdge 10.1A).

32-Bit Platform	Hardware	OpenEdge 10.1A/B	Sonic ESB Product Version			
			6.1	7.0	7.5.1	7.6 ¹
Sun Solaris 10	x86_32					●
SuSE Linux Enterprise Server 8	x86_32	●	●	●	●	
SuSE Linux Enterprise Server 9	x86_32	●		●	●	●
SuSE Linux Enterprise Server 10	x86_32	●				●

OpenEdge 10.1A and 10.1B (64-Bit)

This table lists the 64-bit platforms supported by OpenEdge 10.1A/10.1B, and Sonic ESB.

Note: The OpenEdge Adapter for Sonic ESB cannot be installed or run on any 64-bit platform not supported by Sonic ESB.

64-Bit Platform	Hardware	OpenEdge 10.1A/B	Sonic ESB Version			
			6.1	7.0	7.5.1	7.6 ¹
HP-UX 11i v1 (11.11)	PA-RISC	●				
HP-UX 11i v2 (11.23)	PA-RISC	●				
HP-UX 11i v2 (11.23)	Itanium	●			●	●
HP-UX 11i v3	PA-RISC, Itanium	●				●
HP Tru64 5.1B	Alpha	●				
IBM AIX 5L V5.2	PowerPC	●				
IBM AIX 5L V5.3	PowerPC	●			●	●
Microsoft Windows XP x64	x64	limited				
Microsoft Windows Server 2003 x64	x64	limited			●	●
Red Hat Enterprise Linux 3.0	x64	●				
Red Hat Enterprise Linux 4	x64	●			●	
Red Hat Enterprise Linux 5	x64	●				●
rPATH Linux 1	x64	●				
SuSE Linux Enterprise Server 9	x64	●				
SuSE Linux Enterprise Server 10	x64	●				
Sun Solaris 8	SPARC				●	
Sun Solaris 9	SPARC	●			●	●
Sun Solaris 10	SPARC	●		●	●	●
Sun Solaris 10	x64				●	●

¹ Sonic 7.6 is certified with use with OpenEdge 10.1B (not with OpenEdge 10.1A).

OpenEdge 10.0A and 10.0B

This table lists the 32-bit platforms supported by OpenEdge 10.0A/10.0B and by Sonic ESB.

32-Bit Platform	Hardware	OpenEdge 10.0A/B	Sonic ESB Version			
			5.5	6.1	7.0	7.5.1
HP-UX 11.0	PA-RISC		●	●		
HP-UX 11i v1 (11.11)	PA-RISC	●	●	●	●	●
HP-UX 11i v2 (11.23)	PA-RISC	●			●	●
IBM AIX 5L V5.1	PowerPC		●	●	●	●
IBM AIX 5L V5.2	PowerPC	●	●	●	●	●
IBM AIX 5L V5.3	PowerPC	●			●	●
Microsoft Windows 2000	x86_32	●	●	●	●	●
Microsoft Windows XP	x86_32	●		●	●	●
Microsoft Windows Server 2003	x86_32	●	●	●	●	●
Microsoft Vista	x86_32					
Red Hat Enterprise Linux 2.1	x86_32	●	●	●		
Red Hat Enterprise Linux 3.0	x86_32	●		●	●	●
Red Hat Enterprise Linux 4	x86_32	●			●	●
Red Hat Enterprise Linux 5	x86_32					
SCO UnixWare 7.1.4	x86_32	●				
Sun Solaris 8	SPARC		●	●	●	●
Sun Solaris 9	SPARC	●	●	●	●	●
Sun Solaris 10	SPARC	●			●	●
SuSE Linux Enterprise Server 8	x86_32	●	●	●	●	●
SuSE Linux Enterprise Server 9	x86_32	●			●	●
SuSE Linux Enterprise Server 10	x86_32					
Turbo Linux Enterprise 8	x86_32	●				

OpenEdge 10.0A and 10.0B (64-Bit)

This table lists the 64-bit platforms supported by OpenEdge 10.0A/10.0B and Sonic ESB.

Note: Sonic The OpenEdge Adapter for Sonic ESB cannot be installed or run on any 64-bit platform not supported by Sonic ESB.

64-Bit Platform	Hardware	OpenEdge 10.0A/B	Sonic ESB Version			
			5.5	6.1	7.0	7.5.1
HP-UX 11i v1 (11.11)	PA-RISC	●				
HP-UX 11i v2 (11.23)	PA-RISC	●				
HP Tru64 5.1B	Alpha	●				
IBM AIX 5L V5.2	PowerPC	●				
IBM AIX 5L V5.3	PowerPC	●				●
Microsoft Windows XP x64	x64	limited				
Microsoft Windows Server 2003 x64	x64	limited				●
Red Hat Enterprise Linux 4	x64					●
Sun Solaris 8	SPARC					●
Sun Solaris 9	SPARC	●				●
Sun Solaris 10	SPARC	●			●	●
Sun Solaris 10	x64					●

Compatibility: OpenEdge Adapter for Sonic ESB

This table lists the compatibility between OpenEdge Adapter for Sonic ESB and Aurea Sonic ESB.

OpenEdge Adapter for Sonic ESB	Sonic ESB
10.0A/B	5.5 and higher
10.1A	6.1 and higher
10.1B	6.1 and higher
10.1C	7.5.x and higher
10.2A	7.5.x and higher
10.2B	7.5.x and higher
11.0	8.0.x and higher
11.1	8.0.x and higher
11.2	8.0.x and higher
11.3	8.0.x and higher
11.4	8.5.1 and higher
11.5	8.5.1 and higher
11.6	8.5.1 and higher
11.7	2016 R3 and higher

It is important to note the following dependencies:

- Sonic ESB V6.1 requires a SonicMQ V6.1 Broker.
- OpenEdge Adapter for Sonic ESB does NOT work with SonicXQ v1.5.

There was no Sonic ESB V6.0 release.

Compatibility: OpenEdge and Sonic Development Environments

This table lists the compatibility between the OpenEdge integrated development environment (Progress Developer Studio for OpenEdge, formerly known as OpenEdge Architect), and the Sonic integrated development environment (Progress Developer Studio for Sonic, formerly known as Sonic Workbench).

Progress Developer Studio for OpenEdge (OpenEdge Architect)	2016	2015	2013	8.5.1	8.5	8.0.1	8.0	7.6.2	7.6.1.2	7.6.1
11.7 (N/A) ¹²										
11.6 (N/A) ¹²										
11.5 (N/A) ¹²										
11.4 (N/A) ¹										
11.3			✓	✓	✓					
11.2			✓	✓	✓					
11.1				✓	✓					
11.0					✓					
10.2B06					✓	✓	✓	✓		
10.2B05					✓	✓	✓	✓		
10.2B04						✓	✓	✓		
10.2B03						✓	✓	✓		
10.2B02							✓	✓		
10.2B01							✓	✓		
10.2B							✓	✓		
10.2A03							✓	✓		
10.2A02							✓	✓		
10.2A01								✓		
10.2A								✓		
10.1C04									✓	✓
10.1C03									✓	✓

¹ With the divestiture of Sonic in 2013 to Aurea Software, the integration between Progress Developer Studio for OpenEdge and Sonic Workbench has been deprecated.

10.1C02											
10.1C01											
10.1C											